

RESIN · POOL SYSTEM

Pool Resin KCberry

Premium mixing resin for the Poolciment system for swimming pools and tanks

Pools

Liquid component

Poolciment XL and M

Can be pigmented

25 L

Description and use

Pool Resin KCberry is the liquid component of the KCberry Poolciment system. It is mixed with **Poolciment XL** (base layer) and **Poolciment M** (finish) to form a seamless, jointless coating designed for permanent immersion, finally sealed with **Poolsealer**.

Technical data

Property	Specification	Unit	Method / Standard
Function	Liquid component of Poolciment XL and M	—	—
Mix with Poolciment XL	3.6 L per 20 kg	—	—
Mix with Poolciment M	4 L per 20 kg	—	—
Pigmentation	In the finish (Poolciment M)	—	—
Ideal application temperature	10 – 30	°C	—
Packaging	25	L	—

Mixing ratios

Microcement	Pool Resin	Use
Poolciment XL — 20 kg	3.6 L	Base layer · 3 coats
Poolciment M — 20 kg	4 L	Finish · 2 coats

Directions for use

- 1 Resin first.** Pour the Pool Resin into an empty container. For the finish, add the weighed pigment first.
- 2 Add the powder.** Gradually add the Poolciment, stirring mechanically until a smooth paste is obtained — Poolciment into the resin, never the other way round.
- 3 Apply.** Apply with a stainless steel trowel, allowing 4 to 6 h drying time between coats.

Precautions

- Always follow the instructions on the packaging label.
- Respect the stated ratios: too much or too little resin compromises performance under immersion.
- Keep tightly closed, protected from frost and excessive heat.

COMPLETE KCBERRY SYSTEM · CUSTOMERS WHO BUY THIS PRODUCT ALSO BUY

Poolciment XL KCberry	Base layer (3.6 L of Pool Resin per 20 kg).
Poolciment M KCberry	Finish (4 L of Pool Resin per 20 kg).
Poolsealer KCberry	Final waterproof sealing.

Need technical support for your project?

The KCberry technical team sizes your system, confirms the right substrate preparation and supports you or your contractor remotely, from order to final seal.

REQUEST A FREE QUOTE: kcberry.ie

WhatsApp / Tel. +353 21 221 0022 · info@kcberry.ie · kcberry.ie

The product must not be used for purposes other than those specified without prior written instructions. The information in this sheet is based on tests and practical experience and is given in good faith; it is the user's responsibility to take the measures needed to comply with applicable legal requirements. The Safety Data Sheet is available to professionals on request. This edition supersedes all previous ones.